

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,829,091 B2
APPLICATION NO. : 09/362698
DATED : December 7, 2004
INVENTOR(S) : Takashi Kato et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE COVER PAGE:

In section “(*) Notice:” after “0 days.”, insert the following paragraph:

-- This patent issued on a continued prosecution application filed under 37 C.F.R. 1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C. 154(a)(2). --

In section “(56) **References Cited**,” under “FOREIGN PATENT DOCUMENTS,” “JP 6-242373 2/1994” should read -- JP 6-242373 9/1994 --.

COLUMN 2:

Line 38, “fiat” should read -- flat --.

COLUMN 3:

Line 33, “system” should read -- system. --.

COLUMN 5:

Line 54, “element” should read -- element. --.

COLUMN 7:

Line 8, “ $x = \{ch^2 / 1 + \sqrt{1 - (1 + k)c^2 h^2}\} + Ah^4 + Bh^6 +$ ”
should read -- $x = \{ch^2 / [1 + \sqrt{1 - (1 + k)c^2 h^2}]\} + Ah^4 + Bh^6 +$ --.

Line 59, “ $f(h) = a1 \cdot h^2 + a2h^4 + a3 \cdot h^6 + a4 \cdot h^8 + \dots g(h)2\pi / \lambda \cdot f(h)$ ”
should read -- $f(h) = a1 \cdot h^2 + a2 \cdot h^4 + a3 \cdot h^6 + a4 \cdot h^8 + \dots$ --.
 $g(h) = 2\pi / \lambda \cdot f(h)$

COLUMN 8:

Line 45, “Distribution” should read -- Distribution --.

COLUMN 9:

Line 12, “Distribution” should read -- Distribution --.

COLUMN 10:

Line 45, “problems),” should read -- problem), --.

COLUMN 11:

Line 24, “can not” should read -- cannot --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,829,091 B2
APPLICATION NO. : 09/362698
DATED : December 7, 2004
INVENTOR(S) : Takashi Kato et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 13:

Line 2, "10-30 ml." should read -- 10-30 mm. --.
Line 3, "water," should read -- wafer, --.
Line 10, "agent.)" should read -- agent). --.

COLUMN 15:

Line 28, "boding" should read -- bonding --.
Line 30, "sued" should read -- used --.

COLUMN 16:

Line 38, "water" should read -- wafer --.

COLUMN 17:

Line 64, "my" should read -- may be --.

COLUMN 18:

Line 33, "Walls" should read -- Waals --.

COLUMN 20:

Line 32, "embodiment" should read -- embodiment. --.

COLUMN 22:

Line 6, "plat" should read -- plate --.
Line 21, "of" should read -- or --.

COLUMN 25:

Line 46, "hating" should read -- having --.

COLUMN 26:

Line 60, the first occurrence of "the" should be deleted.

COLUMN 27:

Line 38, "race" should read -- face --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,829,091 B2
APPLICATION NO. : 09/362698
DATED : December 7, 2004
INVENTOR(S) : Takashi Kato et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 29:


Line 6, "lasers" should read -- laser --.

COLUMN 30:

Line 59, the second occurrence of "on" should be deleted.

Signed and Sealed this

Nineteenth Day of February, 2008

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office